


east coast  
2024


# STEPLOCK<sup>®</sup>




ARTISTIC PAVER MFG.

artisticpavers.com

INTERLOCKING SAND-SET PAVERS FOR  
PEDESTRIAN & VEHICULAR APPLICATIONS





ARTISTIC PAVER MFG.

# STEPLOCK<sup>®</sup>

## Why settle for the usual when you can have Artistic Pavers?

### We won't crack you up, but we do make good pavers.

Regular poured concrete decks crack, Artistic Pavers flex between pavers avoiding cracks.

### We are cool.

Cool on your feet. Most of our pavers are light colored and typically much cooler than most other deck surfaces.

### Save your precious toes.

Our pavers are designed for commercial and residential pedestrian traffic. Calibrating and beveling the border of our pavers keeps you from stubbing those precious little toes.

### Some exercising is fun, but exercising to clean your deck isn't.

That's why we manufacture our pavers to require very little maintenance. Because of additives and the high density of our pavers, algae, mildew and other yucky stuff have a difficult time growing on our product. Many natural and man made products require sealing to avoid the yucky stuff, we don't.

### Salt pools, no problem.

Again, because our pavers are so dense, salt water from pools that use chlorinators will not damage our decking.

### It is great to be special.

We make many different types of coping. Bullnosed on one, two, three or all four sides of the paver. By using our coping, you are able to have a spa or raised wall without having a seam going through the middle of the coping.

### Smooth, but not too smooth.

Our pavers are comfortable to walk on, but not too slippery, dry or wet.

### Lickety-split.

While you're sleeping, we're probably making pavers. Our standard pavers are usually ready for speedy delivery. Installation is quicker than installing a concrete slab with a topping, because our pavers don't require a slab and paver installations are less affected by bad weather.

### Great in cold weather.

Our product passed the rigorous 50 cycle freeze-thaw test with no measurable weight loss or cracking.

### We hate to call ourselves cheap, but we are very fairly priced.

Our pavers and coping add so much to the look of your backyard environment, are so functional, and will last so long, that you would think we cost a bunch. We don't, we are less costly than many materials that require slabs and a little more than some, but well worth it.

### Different textures.

Texture is a defining component when deciding on pavers for your project. Artistic Paver Mfg.<sup>®</sup> offers different textures, from the natural look of stone or coral to a smooth polished surface honed to expose the natural aggregates, adding charm and character to any outdoor living space.

Using advanced technology, we also offer an antiqued finish, which yields a casual aged look with cushioned rounded bevels. This process leaves a casual inexact finish with softened dimples on the face and edges of the pavers, adding individual characteristics to each paver.

**BEAUTY WHERE IT MATTERS MOST...**



CAFÉ

TAN

SILVER SAM

IVORY

PEDESTRIAN APPLICATIONS

THICKNESS: 1-5/8"

FINISHES: POLISHED | ANTIQUED

SIZES:	8x8"	8x12"
	12x12"	16x16"
	12x24"	24x24"
	BORDER 4x8"	

SCAN FOR MORE



DETAILS ON SHELLOCK




TAN | 24x24



CAFÉ | 12x12




CAFÉ



IVORY




IVORY & SILVER SAM



IVORY

# SHELLOCK<sup>®</sup>



ARTISTIC PAVER MFG.

The exposed beauty of seashells on each paver.



IVORY

Contemporary and sophisticated.

STERLING GRAY

ARCTIC WHITE

PEDESTRIAN APPLICATIONS

THICKNESS: 1-5/8"

FINISHES: POLISHED | ANTIQUED

SIZES: 12x24"  
16x16" 24x24"  
BORDER 4x8"

SCAN FOR MORE



DETAILS ON GRANITELOCK




ARCTIC WHITE | 16x16



STERLING GRAY | 12x24

# GRANITELOCK®



ARTISTIC PAVER MFG.

The timeless appeal of granite in a paver.



ARCTIC WHITE | 12X24

The natural beauty of coral  
made durable.

IVORY

PEDESTRIAN APPLICATIONS

THICKNESS: 1-5/8"

FINISHES: TEXTURED

SIZES: 8x8" 8x12"  
12x12" 16x16"  
24x24"  
BORDER 4x8"

SCAN FOR  
M O R E



DETAILS ON  
CORALLOCK




IVORY | 8x8, 8x12, 12x12 & 16x16





# CORALLOCK®



ARTISTIC PAVER MFG.



IVORY | 16x16



TAN

SILVER SAM

IVORY

PEDESTRIAN APPLICATIONS

THICKNESS: 2-3/8"

FINISHES: POLISHED

SIZES: 8x24"

Planklock can be used with 1-5/8" coping. Simply adjust the deck base to match the coping thickness.

SCAN FOR MORE



DETAILS ON PLANKLOCK



IVORY




IVORY



IVORY, SILVER SAM & CUSTOM




IVORY & TAN




TAN

# PLANKLOCK<sup>®</sup>



ARTISTIC PAVER MFG.

A sleek polished look.



IVORY

SCAN FOR  
M O R E



DETAILS ON  
C O P I N G


# The difference

24x24 Three sided


8x16 One sided

24x24 Two sided

24x24 Three sided



# is in the details.



ARTISTIC PAVER MFG.




Steps using one-sided round coping.



Straight-edge relaxed one sided coping.



Raised walls & spillways; two, three-sided and adjacent coping.



Renovation coping.  
3, 4 and 5"  
face drop-down.



## The Details.

Artistic Paver Mfg.<sup>®</sup> offers many options of coping and specialty pieces to provide a rich looking and durable solution.

Artistic Paver's coping and specialty pieces are ideal for architectural and decorative accents such as:

Pool coping  
Raised walls  
Spa borders

Steps  
Spillways  
Fountains

Benches  
Planters  
Remodeling Projects

This ensures that materials used for architectural solutions will coordinate with the Artistic Paver decking material. They will not only give your project a great look, but they also make installation easy, saving you time and money.

The result is a luxurious combination of beauty and technology that will keep you satisfied for many years to come.

It just looks expensive...



ARTISTIC PAVER MFG.



SHELLOCK IVORY


# Coping Options

## Understanding the coping possibilities.


After carefully selecting your deck, it's now time to consider the specialty pieces that will elevate its design to the next level. Among these choices, the profile edge you select holds significant importance as it can dramatically impact the overall aesthetics of your backyard. In this regard, we offer two distinctive profiles for you to choose from: the full round bullnose and the straight relaxed edge. The full round bullnose profile offers a seamless and elegant finish to your deck, with its smooth and curved edge. The straight relaxed edge profile offers a sleek and modern appearance. This profile is characterized by clean lines and a more laid-back vibe.

### PROFILES:

BULLNOSE PROFILE  
THICKNESS: 1-5/8"



STRAIGHT  
RELAXED-EDGE (1)  
THICKNESS: 1-5/8"



(1) STRAIGHT RELAXED-EDGE IS AVAILABLE ONLY IN:  
SHELLOCK IVORY & TAN AND IN GRANITELOCK ARCTIC WHITE AND STERLING GRAY.

# Finish Options

## Different textures.

Texture is a defining component when deciding on pavers for your project. Artistic Paver Mfg.<sup>®</sup> offers different textures, adding charm and character to any outdoor living space.

## Artistic Polished Collection



The polishing process our pavers go through not only brings the beauty of aggregates to life but also ensures the color will last longer. Your projects will keep looking great for years to come.

Available in the styles:

SHELLOCK, GRANITELOCK, PLANKLOCK & ROADLOCK.

## Artistic Textured Collection

Using advanced technology, we offer an antiqued finished which yields a casual aged look with cushioned rounded bevels. This process creates a textured finish with softened dimples on the face and edges of the pavers, adding individual characteristics to each paver.

Available in the styles:

SHELLOCK, GRANITELOCK & ROADLOCK.

### ANTIQUED



### CORALLOCK



A truly Artistic concept, this texture resembles the look and feel of natural coral. A combination of molds featuring unique coral impressions blend together to create an organic and natural aesthetic, adding character to your outdoor spaces.

Available in the style:

CORALLOCK.

SCAN FOR  
MORE



DETAILS ON  
PLANKLOCK



# Your driveway deserves the same quality as your deck...

VEHICULAR APPLICATIONS

THICKNESS: 2-3/8" WITH SPACERS




SILVER SAM, TAN & DARK CHOCOLATE



SILVER SAM



# ROADLOCK<sup>®</sup>



ARTISTIC PAVER MFG.



## Designed for Vehicular Applications

Make a "Welcome to My Home" statement by choosing the same Artistic Pavers quality for your driveway.

Roadlock<sup>®</sup> driveway pavers have a stunning look and are a refreshing change to the old concrete driveways. Its polished and smooth surface with exposed seashells adds beauty and aesthetics to any project.

Our high-quality driveway pavers will redefine your concept on how to keep your driveway looking its best. Built with the latest technology, they are durable and require very little maintenance.

Choose from a classic pattern or create your own. Mix and match colors to express your style and preferences. The end result will be an elegant entrance, while also enhancing the value of your property.

FINISHES: POLISHED | ANTIQUED

SIZES: 8x8x 2-3/4" 8x12x 2-3/4" 12x12x 2-3/4"



DARK CHOCOLATE

GOLDEN BROWN

IVORY

SILVER SAM

TAN

STERLING GRAY

ARCTIC WHITE

SCAN TO SEE  
MORE PICTURES



COMMERCIAL  
GALLERY

# We deliver excellence



SILVER SAM



MARLINS BALLPARK, FL



RITZ-CARLTON ORLANDO-GRANDE LAKES FL

Whether the project is a master planned development or a backyard retreat, Artistic Pavers is the right choice, providing a rich looking and durable solution.

## Some of our commercial clients include:

The Breakers, Palm Beach, FL  
Hilton Hotels, FL  
Four Seasons Hotel & Resorts, AZ  
The Fairmont Turnberry Isle Resort & Club, FL  
The Ritz-Carlton Hotels - FL  
Central New Mexico Community College, NM  
The Shoppes at Carlsbad, CA  
Fontainebleau Resorts, FL  
Heritage Highlands at Dove Mountain, AZ  
Albany Resort - Bahamas  
Wind Creek Casino & Hotel, AL  
Wynn Hotels, NV  
Westin Diplomat Resort, FL  
Laguna Cliffs Marriott Resort & Spa, CA  
Sundance Leisure, NY  
Reunion Water Park, FL  
The City of Daytona Beach, FL  
The Westin Kierland Resort & Spa, AZ

Williams Island, FL  
Margaritaville Fort Myers Beach, FL  
Margaritaville Hollywood Beach Resort, FL  
Margaritaville Cottages, Panama City, FL  
Lyon Estates by William Lyon Homes, NV  
Sandals Resorts - Caribbean-Variou locations  
Sunseeker Resort Charlotte Harbor, FL  
Marriott Marquis San Diego Marina, CA  
Anaheim Marriott Suites, Garden Grove, CA  
Aruba Marriott Resort & Stellaris Casino, Aruba  
Club Wyndham Desert Blue, Las Vegas, NV  
Club Wyndham Grand Desert, Las Vegas, NV  
Omni Hotel - Tempe, AZ  
Marriott World Center, FL  
Renaissance Esmeralda Resort, Indian Wells, CA  
The Ritz-Carlton, St. Thomas, Virgin Islands  
Esplanade at Aventura, FL  
Renaissance Orlando Resort at Seaworld, FL



PHILLIPS PLACE, CHARLOTTE, NC

to any project.



ARTISTIC PAVER MFG.

MARRIOTT®, AZ

# STEPLOCK®

INTERLOCKING SAND-SET PAVERS FOR PEDESTRIAN APPLICATIONS

## CORALLOCK®



TEXTURED

## SHELLOCK®



POLISHED  
ANTIQUED

## GRANITELOCK®



POLISHED  
ANTIQUED

FINISHES



PAVERS	NOMINAL SIZE (in)	(mm)	SPACERS	DESCRIPTION	IVORY	IVORY	TAN	CAFE	SILVER SAM	ARCTIC WHITE	STERLING GRAY
	4x8x1-5/8 <sup>(*)</sup>	100x200x40	NO	BORDER PAVER	■	■	■	■	■	■	■
	8x8x1-5/8	200x200x40	NO	PAVER	■	■	■	■	■		
	8x12x1-5/8	200x300x40	NO	PAVER	■	■	■	■	■		
	12x12x1-5/8	300x300x40	NO	PAVING SLAB	■	■	■	■	■		
	12x24x1-5/8	300x600x40	NO	PAVING SLAB						■	■
	16x16x1-5/8	400x400x40	NO	PAVING SLAB	■	■	■	■	■	■	■
	24x24x1-5/8	600x600x40	NO	PAVING SLAB	■	■	■	■	■	■	■
	8x24x2-3/8" PLANKLOCK®	200x600x60	YES	PAVING SLAB							

COPING	NOMINAL SIZE (in)	ACTUAL SIZE(in)	THICKNESS (in/mm)	DESCRIPTION	IVORY	IVORY	TAN	CAFE	SILVER SAM	ARCTIC WHITE	STERLING GRAY
	4x8	3-21/32 <sup>(B)</sup> x7-13/16	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	4x12	3-21/32 <sup>(B)</sup> x11-3/8	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	4x16	3-5/8 <sup>(B)</sup> x15-3/8	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	24x12	22-29/32 <sup>(B)</sup> x11-3/8	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	16x8	15-5/32 <sup>(B)</sup> x7-13/16	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	12x12	11-13/16 <sup>(B)</sup> x11-3/8	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	16x16	15-1/8 <sup>(B)</sup> x15-3/8	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	24x24	22-29/32 <sup>(B)</sup> x23-7/32	1-5/8 40	SINGLE SIDED	■	■	■	■	■	■	■
	4x12	3-5/8 <sup>(B)</sup> x11-3/8	1-5/8 40	SINGLE SIDED STRAIGHT	■	■	■	■	■	■	■
	12x12	11-7/16 <sup>(B)</sup> x11-3/8	1-5/8 40	RELAXED EDGE	■	■	■	■	■	■	■
	24x12	22-29/32 <sup>(B)</sup> x11-3/8	1-5/8 40	SINGLE SIDED STRAIGHT	■	■	■	■	■	■	■
	16x8	15-5/32 <sup>(B)</sup> x7-13/16	1-5/8 40	RELAXED EDGED	■	■	■	■	■	■	■
	4x12	3-5/8 <sup>(B)</sup> x11-3/4	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	4 x 16	3-5/8 <sup>(B)</sup> x15-5/8	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	12x12	11-1/8 <sup>(B)</sup> x11-3/4	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	16x16	15-1/8 <sup>(B)</sup> x15-5/8	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	24x12	22-29/32 <sup>(B)</sup> x11-3/4	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	24x24	22-7/8 <sup>(B)</sup> x23-1/4	1-5/8 40	DOUBLE SIDED	■	■	■	■	■	■	■
	4x12	DROP-FACE 3"	1-5/8 40	RENOVATION	■	■	■	■	■	■	■
	4x12	DROP-FACE 4"	1-5/8 40	RENOVATION	■	■	■	■	■	■	■
	4x12	DROP-FACE 5"	1-5/8 40	RENOVATION	■	■	■	■	■	■	■

SPECIALTY PIECES	NOMINAL SIZE (in)	ACTUAL SIZE(in)	THICKNESS (in/mm)	DESCRIPTION	IVORY	IVORY	TAN	CAFE	SILVER SAM	ARCTIC WHITE	STERLING GRAY
	4x16	3-7/8 <sup>(B)</sup> x15-5/8	1-5/8 40	TRIPLE SIDED	■	■	■	■	■	■	■
	12x12	11-3/8 <sup>(B)</sup> x11-3/4	1-5/8 40	TRIPLE SIDED	■	■	■	■	■	■	■
	16x16	15-3/8 <sup>(B)</sup> x15-5/8	1-5/8 40	TRIPLE SIDED	■	■	■	■	■	■	■
	24x24	22-7/8 <sup>(B)</sup> x23-1/2	1-5/8 40	TRIPLE SIDED	■	■	■	■	■	■	■
	16x16	15-5/8 <sup>(B)</sup> x15-5/8	1-5/8 40	FOUR SIDED	■	■	■	■	■	■	■
	12x12	11-3/4 <sup>(B)</sup> x11-3/4	1-5/8 40	FOUR SIDED	■	■	■	■	■	■	■
	24x24	23-1/2 <sup>(B)</sup> x23-1/2	1-5/8 40	FOUR SIDED	■	■	■	■	■	■	■
	12x12	11-3/8 <sup>(B)</sup> x11-3/8	1-5/8 40	ADJACENT	■	■	■	■	■	■	■
	16x16	15-3/8 <sup>(B)</sup> x15-3/8	1-5/8 40	ADJACENT	■	■	■	■	■	■	■
	24x24	23-1/4 <sup>(B)</sup> x23-1/4	1-5/8 40	ADJACENT	■	■	■	■	■	■	■

(\* ) The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.

NOTES: 1. Coping and specialty pieces will be slightly smaller than nominal dimensions due to the processes required to manufacture them. Please refer to the actual sizes listed above for accuracy. Bullnosed side is marked with (B) on the list above. 2. Pavers are ordered by square foot and coping is ordered by number of pieces. The dimension marked with (B) is the bullnose side.

## FACTORIES

### EAST COAST

Phone: (305) 653-7283  
Fax: (305) 653-7511

### WEST COAST

Phone: (520) 426-3479  
Fax: (520) 426-3485

### E-MAIL

sales@artisticpavers.com



V I S I T  
G A L L E R Y



## DISCLOSURES

- Because of color dye and natural raw materials inconsistencies, products will have color shade and texture variations.
- In Shellock pavers, natural shells are embedded at different distances from the surface of the material, and then polished. Therefore, a small percentage of the shells are expected to come loose from the surface and edges of the tile. This occurrence will diminish over a short span of time and in no way will affect the strength of the product.
- Please expect variations in colors, some chipping, and non-perfect edges. These details are intended to enhance the appearance of our pavers.
- Due to the process required to manufacture, package, deliver, unpack, install, and compact, small chipping can be expected.
- Pavers are calibrated to achieve a uniform thickness and are manufactured in metric sizes and are rounded to the closest equivalent size in inches.
- Pavers should be installed from several pallets at a time to maintain the best color consistency.
- Due to the diversity in the natural aggregates used to make our pavers, the difference in aggregates in each plant and other elements beyond our control, the colors seen on printed material or published on our website may not exactly match the exact color of the paver. Before you make your decision, we recommend verifying your selection at your local Artistic Paver retailer.
- The antiquing process leaves a casual inexact finish with softened dimples on the face and edges of the pavers, adding individual characteristics to each paver.